

DigiRAD-FP

Efficient 40kW / 500mA Diagnostic X-ray System

Sub Model Name:

DigiRAD-FP-TMU, DigiRAD-FP-TMS, DigiRAD-FP-TFU, DigiRAD-FP-TFS DigiRAD-FP-LMU, DigiRAD-FP-LMS, DigiRAD-FP-LFU, DigiRAD-FP-LFS







Faster and Easy Examination with Simplified System

DIGIRAD-FP (Floor Mounted Type)


DIGIRAD Floor Mounted Type is a standard X-ray system with high durability and productivity, providing excellent space efficiency with small footprint at incredible value. Experience the improved workflow and increased efficiency especially with digital X-ray detector EVS series.

Fast and Consistent Imaging Performance

Seamless system, detector and console integration provides pre-settings of positioning and exposure condition, making the exam fast and easy.

Controlling Generator with both PC and Console

Dual controlling console minimizes inconvenience caused by errors and re-exam and makes faster workflow.



Small Packing Size with Easy Installation

45% smaller packing size enables easy transportation and Installation saving the costs and time.







Covers Diverse Clinical Applications with Increased Usability

DIGIRAD-FP (U-Arm Type)

With compact and ergonomic design, DIGIRAD U-Arm type delivers clinical versatility and comfort X-ray imaging environment to both patients and staffs. It provides fast patient throughout with pre-settings of positioning and exposure conditions.

Convenient and Intuitive X-ray Imaging

 \cdot Intuitive X-ray tube display & easy positioning the equipment with remote control.

Faster Workflow

 Pre-settings of positioning and exposure conditions.



High Space Efficiency

U-arm is an efficient X-ray system covers diverse clinical application even with no tables, enabling excellent space utilization. Experience powerful X-ray performance even in relatively small hospitals.





Skull





Extremities Abdomen Supine








Specification	Floor-Mounted Type	(Sub Model Name : TMS, TFS, LMS, LFS)	
Generator		High frequency Generator 40kW	
Tube		140 kHU	
Tube Stand		Assembled with Table	
Table		4 way Table	
Bucky Stand		Basic Bucky (Option : Tilting Bucky)	
Collimator		Manual (Option : Auto)	
H/V Cable		10M (Option : 18M)	
Grid		215 Line Grid	



U-arm Type (Sub Model Name : TMU, TFU, LMU, LFU)

Generator	High frequency Generator 40kW	
Tube	140 kHU	
Tube Stand	U-arm stand	
Collimator	Manual (Option : Auto)	
H/V Cable	10M (Option : 18M)	
Grid	215 Line Grid	

Digital X-ray System (High Performance with DRTECH Detector, Option)











Intuitive and Convenient Operation with ECONSOLE1

Advanced Imaging Processing

·DEPAI™

DEPAI™ applies artifical intelligence imaging processing on Bone, Muscle, and Soft tissue resulting in noise and artifacts reduction on images.

·TRUVIEW®ART

TRUVIEW®ART increases image sharpness up to 30% resulting in exceptional image quality.




Versatile Image Editing Functions



- ·Auto Stitching(up to 4 images), Auto Labeling, and Auto Crop Function.
- ·Versatile Image Control Tool for User Convenience
- ·9 Image Parameter Options Based on Image Preference.

Intuitive UX/UI

- ·Easy & Simple Patients Register Process
- ·Real Time Connection Status Check (PACS Connection, Image Transfer, Detector Connection, Battery etc)
- ·Customizable Tool Bar
- ·Multi-languages Support (18 languages)







Tel | +82-31-982-0620 Web | www.sitecmedical.com E-mail | sitec_cs@sitec-med.com







